




Designed for basic yet powerful lighting needs, these strips deliver efficient brightness and elevate the user experience. With its high CRI, super brightness, and unmatched efficiency, this range promises superior quality and exceptional value.




Technical Details

Power : 10W
CCT : 2700K 3000K 4000K 6000K
CRI : 90
Beam Angle : 120°
Lumen Output : 1000lm/w
Input Voltage : DC 24V
Driver : Triac 1-10V DALI
Material : Aluminium
Finishing Color : White
Reflector : –
Size : L5000 x W8 x H1.2mm L5000 x W10 x H4mm
Cut out : –
IP Rating : IP20 IP67

Light Distribution



Light Performance



Order Options

Model Code	Power	Lumens	CCT	CRI	Beam	Finish	Size	Accessories
STR-Subra-LI04	10W	1000lm	2700K 3000K 4000K 6000K	90	120°	White	L5000 x W8 x H1.2mm L5000 x W10 x H4mm	

CERES | LED Striplight



LED COB striplight delivers seamless, dot-free illumination ideal for a wide range of architectural and decorative lighting applications.

Technical Details

Power : 5W | 10W

CCT : 2700K | 3000K | 4000K | 6000K

CRI : 90

Beam Angle : 120°

Lumen Output : 525lm/m | 1025lm/m | 1525lm/m

Input Voltage : DC 24V

Driver : Triac | 1-10V | DALI

Material : Aluminium


Finishing Color : White

Reflector : –


Size : L5000 x W8 x H2mm | L5000 x W10 x H4mm

Cut out : –

IP Rating : IP20 | IP67



Light Distribution



Light Performance



Order Options

Model Code	Power	Lumens	CCT	CRI	Beam	Finish	Size	Accessories
STR-Ceres-LI04	5W 10W	525lm 1025lm 1525lm	2700K 3000K 4000K 6000K	90	120°	White	L5000 x W8 x H2mm L5000 x W10 x H4mm	




Acrux is a premium, high-density LED strip featuring a slim profile and a built-in milky silicone diffuser, designed to deliver seamless, dot-free illumination. With its compact dimensions and uniform light output, Acrux is ideal for sleek architectural integrations and modern interior designs.



Technical Details

Power : 10W
CCT : 2700K 3000K 4000K 6000K
CRI : 90
Beam Angle : 120°
Lumen Output : 850lm/m
Input Voltage : DC 24V
Driver : Triac 1-10V DALI
Material : Aluminium
Finishing Color : White
Reflector : -
Size : L5000 x W8 x H1.2mm L5000 x W10 x H4mm
Cut out : -
IP Rating : IP20 IP67

Light Distribution




Light Performance





Order Options

Model Code	Power	Lumens	CCT	CRI	Beam	Finish	Size	Accessories
STR-Acrux-LI04	10W	850lm	2700K 3000K 4000K 6000K	90	120°	White	L5000 x W8 x H2mm L5000 x W10 x H4mm	

LUCERO | LED Striplight




Lucero LED strip light combines the power of dynamic full-color RGB lighting with the versatility of true white illumination in a dot-free, seamless linear output. Designed for both decorative and functional lighting, it offers a smooth color blend with high color rendering and uniform brightness—perfect for creating ambient effects and mood lighting.



Technical Details

Power : 16W
CCT : RGBWW
CRI : 90
Beam Angle : 180°
Lumen Output : 700lm/w
Input Voltage : DC 24V
Driver : Triac 1-10V DALI
Material : Aluminium
Finishing Color : White
Reflector : -
Size : L5000 x W12 x H2mm L5000 x W14 x H4mm
Cut out : -
IP Rating : IP20 IP65

Light Distribution



Light Performance



Order Options

Model Code	Power	Lumens	CCT	CRI	Beam	Finish	Size	Accessories
STR-Lucero-LI04	16W	700lm	RGBWW	90	180°	White	L5000 x W12 x H2mm L5000 x W14 x H4mm	