



Ultra thin wall light designed for modern architectural spaces requiring both performance and aesthetics. The dual-lighting design - with both upward and downward illumination - enhances space ambiance, making it perfect for retail, office, and hospitality applications.

Technical Details


Power : 8W 10W
CCT : 3000K 4000K 6000K
CRI : 90
Beam Angle : 40°
Lumen Output : 90lm/w
Input Voltage : AC 220-240V
Driver : Triac
Material : Aluminum
Finishing Color : White Black
Reflector : PMMA
Size : L180 x W38.5 x H90mm L240 x W38.5 x H90mm
Cut out :
IP Rating : IP20



Light Distribution



Light Performance




Order Options

Model Code	Power	Lumens	CCT	CRI	Beam	Finish	Size	Accessories
WL-Mars-US01	8W 10W	90lm	3000K 4000K 6000K	90	40°	White Black	L180 x W38.5 x H90mm L240 x W38.5 x H90mm	

VENUS | Wall Lights



This sleek and efficient mirror light is designed to deliver even, soft illumination. Equipped with a high-quality PC diffuser, the fixture ensures uniform light output, minimizing glare and shadows for a soft, comfortable visual experience.



Technical Details

Power : 8W

CCT : 3000K | 4000K | 6000K

CRI : 90

Beam Angle : 120°

Lumen Output : 90lm/w

Input Voltage : AC 220-240V

Driver : -

Material : Polycarbonate

Finishing Color : White


Reflector : Polycarbonate

Size : L409 x W60 x H55mm

Cut out :

IP Rating : IP54

Light Distribution




Light Performance



Order Options

Model Code	Power	Lumens	CCT	CRI	Beam	Finish	Size	Accessories
WL-Venus-US01	8W	90lm	3000K 4000K 6000K	90	120°	White	L409 x W60 x H55mm	


NEPTUNE | Wall Lights




This modern mirror light blends functionality with style, featuring a high-transmittance PC lampshade that ensures optimal light diffusion and clarity. Designed with clean lines and a minimalist aesthetic, it enhances the elegance of any interior space.

Technical Details

Power : 10W
CCT : 3000K 4000K 6000K
CRI : 90
Beam Angle : 40°
Lumen Output : 100lm/w
Input Voltage : AC 220-240V
Driver : Triac
Material : Aluminum
Finishing Color : White Black
Reflector : Polycarbonate
Size : L580 x W41 x H111mm
Cut out :
IP Rating : IP0



Light Distribution



Light Performance



Order Options

Model Code	Power	Lumens	CCT	CRI	Beam	Finish	Size	Accessories
WL-Neptune-US01	10W	100lm	3000K 4000K 6000K	90	40°	White Black	L580 x W41 x H111mm	